



PATONS

FAMILY
PURE NEW WOOL
5, 8 & 12 ply

618
PRICE
CODE **E**

FOR MEN

Waltons
206
- 02 3
20451
\$12-20-



AND IT'S
MACHINE
WASHABLE



2 A 12 ply Aran jumper in popular Blackberry stitch.

3

A handy vest
in 8 ply.



4

What could be better than a sports jumper
in 8 ply machine washable pure new wool.



5 A smart zip jacket featuring an easy to knit cable — in 12 ply.



Patons range of 'Family' yarns offer Patons quality at budget prices. It all began with the real "value for money" introduction of Patons Family 8 Ply Courtelle. So successful was this yarn that the range has been expanded to take in 3 new Family yarns . . . **Patons 5, 8 & 12 ply PURE NEW WOOLS.**


Totally new, but still budget priced, Patons Family Pure New Wool yarns are 'MACHINE WASHABLE' for your convenience. The shade ranges in all plys are "spot-on" for fashion appeal for all of your family.

As well as the designs in this book Patons have also produced two other Family 5, 8 & 12 Ply Pure New Wool books, one for Ladies — **Book No. 617**; and one for Children — **Book No. 616.**

Back Cover

- 11** The "Aran Look" in 8 ply but using an easy knit/purl combination stitch.

PATONS family 5ply, 8ply and 12ply pure new wool

 GENTLE MACHINE WASH WARM
DO NOT TUMBLE DRY



WARM IRON (150°C)



(60) DRY CLEANABLE



DO NOT BLEACH



25g Ball



50g Ball







25g Ball



PATONS family 12ply pure new wool

50g Ball

 GENTLE MACHINE WASH WARM DO NOT TUMBLE DRY	 WARM IRON (150°C)	 (60) DRY CLEANABLE	 DO NOT BLEACH
---	---	--	--

Patons Family 12 ply pure new wool is an ideal family yarn guaranteed machine washable and very economical to knit.

1 Man's Jumper

PATONS FAMILY 12 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D	E
Fits chest.....	cm	90	95	100	105	110
	ins	35½	37½	39¼	41¼	43¼
Measures	cm	92	97	102	107	112
	ins	36¼	38¼	40¼	42	44
Length	cm	65	65	66	66	67
	ins	25½	25½	26	26	26¼
Sleeve seam	cm	48	48	48	48	48
	ins	19	19	19	19	19

PATONS FAMILY 12 PLY PURE NEW WOOL 50 g balls

Quantity	17	18	19	20	21
----------	----	----	----	----	----

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 6.00 (No 4) and 4.00 (No 8), 1 set 4.00 (No 8) Milward or Patons Beehive Knitting Needles; A Cable Needle; 2 Stitch Holders; Milward Tapestry Needle for sewing seams.

TENSION — 16½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20. "Cable" = Slip next 2 sts on to cable needle and leave at front of work, K2, then K2 from cable needle.

FIRST — Check your tension.

BACK. Using 4.00 (No 8) Needles, cast on 93 (97-101-105-109) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 6 times, inc at end of last row ... 94 (98-102-106-110) sts.

Change to 6.00 (No 4) Needles.

1st row — K21 (23-25-27-29), (P2, K8) 5 times, P2, knit to end.

2nd row — P21 (23-25-27-29), (K2, P8) 5 times, K2, purl to end.

Rep 1st and 2nd rows once.

5th row — K21 (23-25-27-29), * P2, ("Cable") twice, P2, K8, rep from * twice, knit to end.

6th row — As 2nd row.

Rep 1st and 2nd rows once, then 5th and 6th rows once.

Rep 1st and 2nd rows 3 times.

17th row — K21 (23-25-27-29), P2, K8, P2, * ("Cable") twice, P2, K8, P2, rep from * once, knit to end.

18th row — As 2nd row.

Rep 1st and 2nd rows once, then 17th and 18th rows once.

Rep 1st and 2nd rows once.

Last 24 rows form patt.

Cont in patt until work measures 39 cm ... 15¼ ins ... from beg, working last row on wrong side.

Keeping patt panels correct **shape raglan armholes** — Cast off 3 sts at beg of next 2 rows.

3rd row — K2, sl 1, K1, psso, patt to last 4 sts, K2 tog, K2.

4th row — P3, patt to last 3 sts, P3. **

Rep 3rd and 4th rows until 32 (40-42-50-52) sts rem.

Next row — P2, P2 tog, patt to last 4 sts, P2 tog tbl, P2.

Dec (as before) in every row until 26 (26-28-28-30) sts rem. Leave sts on a stitch-holder.

FRONT. Work as for Back to **.

Rep 3rd and 4th rows until 50 (54-58-62-66) sts rem.

Work 1 row.

Shape neck — 1st row — K2, sl 1, K1, psso, patt 17 (19-21-23-25), turn.

Dec (as before) at armhole edge in alt rows 8 (6-7-5-6) times, AT SAME TIME dec at neck edge in alt rows 7 (6-7-5-6) times.

Next row — Patt to last 4 sts, P2 tog tbl, P2.

Dec (as before) in every row 1 (5-5-9-9) time/s, **B, C, D and E only** — AT SAME TIME dec at neck edge in alt row/s from previous dec (1-1-3-3) time/s ... 3 sts.

Next row — P2 tog tbl, P1, turn, K2 tog.

Fasten off.

Slip next 8 sts on to stitch-holder and leave, join yarn to rem sts and work other side to correspond, working "K2 tog" in place of "sl 1, K1, psso" and "P2 tog" in place of "P2 tog tbl".

SLEEVES. Using 4.00 (No 8) Needles, cast on 39 (39-41-41-43) sts.

Work 14 rows rib as for Back.

Change to 6.00 (No 4) Needles.

Work 4 rows stocking st.

5th row — K2, “M1”, knit to last 2 sts, “M1”, K2.

Inc (as before) in foll 6th (4th-4th-4th-4th) rows until there are 67 (47-49-55-57) sts, **B, C, D and E only** — then in foll 6th rows until there are (69-71-73-75) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K2, sl 1, K1, pssso, knit to last 4 sts, K2 tog, K2.

Dec (as before) at each end of foll 4th rows until 53 (57-59-63-65) sts rem, then in alt rows until 9 sts rem.

Work 1 row.

Cast off.

NECKBAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing, using set of 4.00 (No 8) Needles, knit up 76 (80-84-88-92) sts evenly around neck, incl sts from stitch-holders.

1st round — * K1, P1, rep from * to end.

Rep 1st round 17 times.

Cast off loosely in rib.

MAKE UP. With a slightly damp cloth and warm iron, press lightly, taking care not to flatten cables. Using back-stitch, join side and sleeve seams. Fold neckband in half on to wrong side and slip-stitch in position. Press seams.

2

Man’s Jumper

PATONS FAMILY 12 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B
Fits chest	cm	95	100
	ins	37½	39¼
Measures	cm	101	106
	ins	39½	41½
Length	cm	65	66
	ins	25½	26
Sleeve seam	cm	48	48
	ins	19	19

PATONS FAMILY 12 PLY PURE NEW WOOL 50 g balls

Quantity	20	21
----------	----	----

The quantities of yarn stated are based on average requirements and are therefore approximate.*

1 pair each 6.00 (No 4) and 4.50 (No 7), 1 set 4.50 (No 7) Milward or Patons Beehive Knitting Needles; A Cable Needle; 2 Stitch Holders; Milward Tapestry Needle for sewing seams.

TENSION — 16½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20. “Cable 4F” = Slip next 2 sts on to cable needle and leave at front of work, K2, then K2 from cable needle. “Cable 4B” = Slip next 2 sts on to cable needle and leave at back of work, K2, then K2 from cable needle.

FIRST — Check your tension.

BACK. Using 4.50 (No 7) Needles, cast on 83 (87) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 5 times, then 1st row once.

14th row — Rib 11 (7), inc in next st, * rib 2, inc in next st, rep from * ending last rep, rib 11 (7) ... 104 (112) sts.

Change to 6.00 (No 4) Needles.

1st row — P48 (52), K8, P48 (52).

2nd row — K2, * (K1, P1, K1) in next st, P3 tog *, rep from * to * 10 (11) times, K2, P8, K2, rep from * to * 11 (12) times, K2.

3rd row — As 1st row.

4th row — K2, * P3 tog, (K1, P1, K1) in next st *, rep from * to * 10 (11) times, K2, P8, K2, rep from * to * 11 (12) times, K2.

5th row — As 1st row.

6th row — As 2nd row.

7th row — P48 (52), “Cable 4F”, “Cable 4B”, purl to end.

8th row — As 4th row.

These 8 rows form patt.

Cont in patt until work measures 38 cm ... 15 ins ... from beg, working last row on wrong side.

Keeping patt correct (and taking care not to make or lose extra sts), **shape raglan armholes** — Cast off 2 sts at beg of next 2 rows.

3rd row — P2, y bk, sl 1, K1, pssso, patt to last 4 sts, K2 tog, P2.

4th row — K2, P2 tog, patt to last 4 sts, P2 tog tbl, K2.

5th row — As 3rd row.

6th row — K2, P1, patt to last 3 sts, P1, K2. ***

Rep rows 3 to 6 incl 6 (9) times, then 5th and 6th rows until 28 sts rem.

Work 1 row. Leave sts on a stitch-holder.

FRONT. Work as for Back to ***.

Rep rows 3 to 6 incl 6 (8) times, **A only** — then 5th and 6th rows 4 times ... 50 (54) sts.

Shape neck — **1st row** — P2, y bk, sl 1, K1, pssso, patt 15 (17), turn.

B only — **2nd row** — Patt to last 4 sts, P2 tog tbl, P2.

3rd row — P2, y bk, sl 1, K1, pssso, patt to last 2 sts, work 2 tog.

All Sizes — Dec (at armhole edge as before) at each end of alt rows 6 (5) times, then at armhole edge only in alt rows 3 (4) times ... 3 sts. Work 1 row.

Next row — P1, P2 tog.

Next row — K2, turn, P2 tog.

Fasten off.

(continued on next page

Leave next 12 sts on stitch-holder, join yarn to rem sts and work other side to correspond, working "K2 tog" in place of "sl 1, K1, pssso" and "P2 tog" in place of "P2 tog tbl".

SLEEVES. Using 4.50 (No 7) Needles, cast on 39 sts.

Work 12 rows rib as for Back, inc once at end of last row ... 40 sts.

Change to 6.00 (No 4) Needles.

1st row — P16, K8, purl to end.

2nd row — K2, * (K1, P1, K1) in next st, P3 tog *, rep from * to * twice, K2, P8, K2, rep from * to * 3 times, K2.

Cont in patt as placed in last 2 rows, working cable (as before) in 5th and foll 8th rows and inc at each end of 3rd and foll 4th rows until there are 72 sts, then in foll 6th rows until there are 76 sts, working extra sts into patt.

Cont until side edge measures 48 cm ... 19 ins ... from beg, working last row on wrong side.

Shape raglan — Cast off 2 sts at beg of next 2 rows.

3rd row — P2, y bk, sl 1, K1, pssso, patt to last 4 sts, K2 tog, P2.

4th row — K2, P2 tog, patt to last 4 sts, P2 tog tbl, K2.

5th row — As 3rd row.

6th row — K2, P1, patt to last 3 sts, P1, K2.

Rep rows 3 to 6 incl 2 (1) time/s, then 5th and 6th rows until 8 sts rem.

Work 1 row.

Cast off.


NECKBAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing, using set of 4.50 (No 7) Needles, knit up 88 sts evenly around neck, incl sts from stitch-holders.

Work 20 rounds K1, P1, rib.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Fold neckband in half on to wrong side and slip-stitch in position.

Back-Stitch Seam - This is the method most commonly used for joining knitted garments. The seam should be sewn one full stitch in from the end of each row so that all seams will be even. One stitch should be worked over every row. Darn in all ends of yarn **after** sewing seams.



PATONS family 8ply pure new wool

3

Man's Vest

PATONS FAMILY 8 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D	E
Fits chest.....	cm	85	90	95	100	105
	ins	33½	35½	37½	39¼	41¼
Measures	cm	85	90	95	100	105
(slightly stretched)	ins	33½	35½	37½	39¼	41¼
Length	cm	57	64	64	65	65
	ins	22½	25	25	25½	25½

PATONS FAMILY 8 PLY PURE NEW WOOL 25 g balls

Quantity	16	18	19	20	21
----------	----	----	----	----	----

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 4.00 (No 8) and 3.25 (No 10), 1 set 3.25 (No 10) Milward or Patons Beehive Knitting Needles; A Stitch Holder; Milward Tapestry Needle for sewing seams.

Page 8 — Book 618

TENSION — 22½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20.

FIRST — Check your tension.

BACK. Using 3.25 (No 10) Needles, cast on 97 (103-109-115-121) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 12 times, inc at end of last row ... 98 (104-110-116-122) sts.

Change to 4.00 (No 8) Needles.

1st row — P2, * K4, P2, rep from * to end.

2nd row — K2, * P4, K2, rep from * to end.

Rep 1st and 2nd rows twice, then 1st row once.

8th row — Knit.

Rows 1 to 8 incl form patt.

Cont in patt until work measures 34 (39-39-39-39) cm ... 13½ (15¼-15¼-15¼-15¼) ins ... from beg, working last row on wrong side.

Keeping patt correct, **shape armholes** — Cast off 7 (8-9-10-11) sts at beg of next 2 rows. **

Dec at each end of next and alt rows until 70 (72-74-76-78) sts rem.

Work 55 (57-55-57-55) rows patt.

Shape shoulders — Cast off 7 (7-7-7-8) sts at beg of next 4 rows, then 7 (7-8-8-7) sts at beg of foll 2 rows.

Leave rem 28 (30-30-32-32) sts on stitch-holder.

FRONT. Work as for Back to **.

3rd row — K2 tog, patt 40 (42-44-46-48), turn.

Cont on these sts, dec at armhole edge in alt rows 6 (7-8-9-10) times, AT SAME TIME dec at neck edge in 2nd and foll 4th rows 10 (11-11-12-12) times in all, then in foll 6th rows 4 times ... 21 (21-22-22-23) sts.

Work 5 rows.

Shape shoulder — Cast off 7 (7-7-7-8) sts at beg of next row and foll alt row.

Work 1 row.

Cast off rem sts.

Join yarn to rem sts and work other side to correspond.

NECKBAND. Using back-stitch, join shoulder seams.

With right side facing, using set of 3.25 (No 10) Needles

and beg at left shoulder seam, knit up 52 (54-54-56-56) sts evenly along left side of neck, one st from centre (centre st), 52 (54-54-56-56) sts evenly along right side of neck, knit across back stitch-holder, dec once in centre ... 132 (138-138-144-144) sts.

1st round — * K1, P1, rep from * to end.

2nd round — Rib to within 2 sts of centre st, y bk, sl 1, K1, pssso, K1 (centre st), K2 tog, rib to end.

3rd round — Rib to within 2 sts of centre st, P2 tog tbl, K1, P2 tog, rib to end.

Rep 2nd and 3rd rounds 4 times.

Cast off loosely in rib.

ARMBANDS. With right side facing and using 3.25 (No 10) Needles, knit up 125 (131-133-137-139) sts evenly around armhole.

Work 11 rows rib as for Back, beg with a 2nd row.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side seams.

4

Man's Jumper

PATONS FAMILY 8 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits chest.....	cm	85	92.5	100	107.5
	ins	33½	36½	39¼	42¼
Measures	cm	89	97	104	112
(slightly stretched)	ins	35	38¼	41	44
Length	cm	70	71	72	72
	ins	27½	28	28¼	28¼
Sleeve seam	cm	48	48	48	48
	ins	19	19	19	19

PATONS FAMILY 8 PLY PURE NEW WOOL 25 g balls

Main Colour (M)	28	30	32	34
1st Contrast (C1)	2	2	2	2
2nd Contrast (C2)	1	1	1	1

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 4.00 (No 8) and 3.25 (No 10), 1 set 3.25 (No 10) Milward or Patons Beehive Knitting Needles; A Stitch Holder; Milward Tapestry Needle for sewing seams.

TENSION — 22½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS See page 20. "TW2R" = K2 tog, leaving sts on left-hand needle, then insert right-hand needle from the front between the 2 sts just knitted tog and knit the first st again, sl both sts off needle tog. "TW2L" = Knit into the back of second st on left-hand needle, then insert right-hand needle into the backs of both sts (the skipped st and the second st) and knit them tog tbl.

FIRST — Check your tension.

BACK. Using 3.25 (No 10) Needles and M, cast on 106 (114-122-130) sts.

1st row — P2, * K2, P2, rep from * to end.

2nd row — K2, * P2, K2, rep from * to end.

Rep 1st and 2nd rows 9 times.

Rep 1st and 2nd rows 3 times working in stripes of 2 rows each C1, C2 and C1.

Change to 4.00 (No 8) Needles and M. **

Cont in rib until work measures 43 cm ... 17 ins ... from beg, working last row on wrong side.

Keeping rib correct, **shape raglan armholes** — Cast off 2 sts at beg of next 2 rows.

3rd row — K2, sl 1, K1, pssso, rib to last 4 sts, K2 tog, K2.

4th row — P3, work to last 3 sts, P3.

5th row — K3, work to last 3 sts, K3.

6th row — As 4th row.

Rep rows 3 to 6 incl 3 (2-1-0) time/s ... 94 (104-114-124) sts.

Rep 3rd and 4th rows until 30 (32-34-36) sts rem.

Work 1 row.

Leave sts on stitch-holder.

FRONT. Work as for Back to **.

***** 1st row** — (P2, K2) 5 (6-7-8) times, P2, K10, (P2, K2) 4 times, P2, K6, (P2, K2) 4 times, P2, K10, (P2, K2) 5 (6-7-8) times, P2.

2nd and alt rows — (K2, P2) 5 (6-7-8) times, K2, P10, (K2, P2) 4 times, K2, P6, (K2, P2) 4 times, K2, P10, (K2, P2) 5 (6-7-8) times, K2.

3rd row — (P2, K2) 5 (6-7-8) times, P2, K3, "TW2R", "TW2L", K3, (P2, K2) 4 times, P2, K6, (P2, K2) 4 times, P2, K3, "TW2R", "TW2L", K3, (P2, K2) 5 (6-7-8) times, P2.

5th row — (P2, K2) 5 (6-7-8) times, P2, K2, "TW2R", K2, "TW2L", K2, (P2, K2) 4 times, P2, K6, (P2, K2) 5 times, "TW2R", K2, "TW2L", K2, (P2, K2) 5 (6-7-8) times, P2.

7th row — (P2, K2) 5 (6-7-8) times, P2, K1, "TW2R", K4, "TW2L", K1, (P2, K2) 4 times, P2, K6, (P2, K2) 4 times, P2, K1, "TW2R", K4, "TW2L", K1, (P2, K2) 5 (6-7-8) times, P2.

(continued on next page)

9th row — (P2, K2) 5 (6-7-8) times, P2, "TW2R", K6, "TW2L", (P2, K2) 4 times, P2, K6, (P2, K2) 4 times, P2, "TW2R", K6, "TW2L", (P2, K2) 5 (6-7-8) times, P2.

10th row — As 2nd row. ***

Rep from *** to *** until there are 18 rows less than Back to underarm.

Divide for "V" neck — **1st row** — Patt 53 (57-61-65), turn.

Work 1 row.

Cont on these 53 (57-61-65) sts, dec at neck edge in next and foll 6th rows until 50 (54-58-62) sts rem.

Work 3 rows.

Shape raglan armhole — **1st row** — Cast off 2 sts, patt to end.

2nd row — Patt to last 3 sts, P3.

3rd row — K2, sl 1, K1, psso, patt to last 2 sts, work 2 tog.

4th row — As 2nd row.

5th row — K3, patt to end.

6th row — As 4th row.

Dec at armhole edge (as before) in next and foll 4th row/s 4 (3-2-1) time/s in all, **A, B and C only** — AT SAME TIME dec at neck edge in foll 8th (6th-6th) row/s from previous dec twice (twice-once) ... 40 (45-51-57) sts.

Dec at armhole edge (as before) in alt rows 28 (30-36-38) times, AT SAME TIME dec at neck edge in foll 8th (6th-6th) rows from previous dec 7 (2-3-8) times, **B, C and D only** — then in foll 8th rows (6-7-4) times ... 5 (7-5-7) sts.

Dec at armhole edge only (as before) in alt rows until 3 sts rem.

Next row — P3.

Next row — K1, sl 1, K1, psso.

Next row — P2, turn, K2 tog.

Fasten off.

Join yarn to rem sts and work other side to correspond.

SLEEVES. Using 3.25 (No 10) Needles and M, cast on 54 (54-58-58) sts.

A and B only — **1st row** — K2, * P2, K2, rep from * to end.

2nd row — P2, * K2, P2, rep from * to end.

Rep 1st and 2nd rows 15 times.

C and D only — Work 32 rows rib as for Back.

All sizes — Change to 4.00 (No 8) Needles.

1st row — Rib 24 (24-26-26), K6, rib to end.

2nd row — Rib 24 (24-26-26), P6, rib to end.

Keeping patt correct, inc at each end of next and foll 6th (4th-4th-4th) rows until there are 82 (64-68-80) sts, then in foll 8th (6th-6th-6th) rows until there are 86 (90-94-98) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, working last row on wrong side.

Shape raglan — Work rows 1 to 6 incl as for Back shaping.

Rep rows 3 to 6 incl twice, then rep 3rd and 4th rows until 8 sts rem.

Work 1 row.

Cast off.

NECKBAND. Using back-stitch, join raglan seams noting that tops of sleeves form part of neckline. With right side facing, using set of 3.25 (No 10) Needles and M and beg at left back raglan seam, knit up 95 (98-101-104) sts evenly across top of left sleeve and along left side of neck, knit up 95 (98-101-104) sts evenly along right side of neck and across top of right sleeve, then knit across 30 (32-34-36) sts on back stitch-holder ... 220 (228-236-244) sts.

Using C1, **1st round** — K0 (0-0-1), P2 (1-0-2), * K2, P2, rep from * to last 2 (3-0-2) sts, K2 (2-0-2), P0 (1-0-0).

2nd round — Rib to within 2 sts of centre, work 2 tog tbl, work 2 tog, rib to end.

Rep 2nd round twice.

Using C2, rep 2nd round 4 times.

Using C1, rep 2nd round 4 times.

Cast off loosely in rib.

MAKE UP. With a slightly damp cloth and warm iron, press very lightly. Using back-stitch, join side and sleeve seams. Press seams.

PATONS family 12ply pure new wool

5

Man's Zipper Jacket

PATONS FAMILY 12 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C
Fits chest	cm	95	100	105
	ins	37½	39¾	41¼
Measures	cm	97	102	107
	ins	38¼	40¼	42
Length	cm	62	62	63
	ins	24½	24½	24¾
Sleeve seam	cm	48	48	48
	ins	19	19	19

PATONS FAMILY 12 PLY PURE NEW WOOL 50 g balls

Quantity	16	17	18
----------	----	----	----

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 6.00 (No 4) and 4.00 (No 8) Milward or Patons Beehive Knitting Needles; A Cable Needle; 3 Stitch Holders; Milward Tapestry Needle for sewing seams; 55 cm ... 22 ins ... "Lightning" Zipper (Open end).

TENSION — 16½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20. "Cable A" = Slip next 3 sts on to cable needle and leave at back of work, K3, then K3 from cable needle. "Cable B" = Slip next 3 sts on to cable needle and leave at front of work, K3, then K3 from cable needle.

FIRST — Check your tension.

BACK. Using 4.00 (No 8) Needles, cast on 81 (85-89) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 8 times.

Change to 6.00 (No 4) Needles.

Work in stocking st until work measures 37 cm ... 14½ ins ... from beg, ending with a purl row.

Shape raglan armholes — Cast off 3 sts at beg of next 2 rows.

3rd row — K2, sl 1, K1, psso, knit to last 4 sts, K2 tog, K2.

Dec (as before) in foll 4th (4th-alt) rows until 69 (75-27) sts rem, **A and B only** — then in foll alt-rows until 25 sts rem.

Work 1 row. Leave sts on a stitch-holder.

LEFT FRONT. Using 4.00 (No 8) Needles, cast on 45 (47-49) sts.

Work 18 rows rib as for Back. **

Change to 6.00 (No 4) Needles.

1st row — K22 (24-26), P2, K9, P1, inc in next st, turn, slip next 10 sts on to a stitch-holder and leave.

2nd and alt rows — P1, K2, P9, K2, purl to end.

3rd row — K22 (24-26), P2, "Cable B", K3, P2, K1.

5th row — K22 (24-26), P2, K9, P2, K1.

7th row — K22 (24-26), P2, K3, "Cable A", P2, K1.

9th row — As 5th row. Rows 2 to 9 incl form patt.

Cont in patt until work measures same as Back to underarm, working last row on wrong side.

Keeping patt correct, **shape raglan armhole** — **1st row** — Cast off 3 sts, work to end. Work 1 row.

3rd row — K2, sl 1, K1, psso, patt to end.

Dec (as before) at armhole edge in foll 4th (4th-alt) rows until 30 (33-18) sts rem, **A and B only** — then in foll alt rows until 17 sts rem. Work 1 row.

Shape neck — Dec (as before) at armhole edge in next and alt rows 8 times in all, AT SAME TIME dec at neck edge in next and alt rows 6 (6-7) times in all ... 3 sts.

Next row — P3.

Next row — K1, sl 1, K1, psso.

Next row — P2, turn, K2 tog. Fasten off.

RIGHT FRONT. Work as for Left Front to **.

1st row — Rib 10, slip these sts on to stitch-holder and leave, change to 6.00 (No 4) Needles, inc in next st, P1, K9, P2, knit to end.

2nd row — Purl to last 14 sts, K2, P9, K2, P1.

3rd row — K1, P2, "Cable B", K3, P2, knit to end.

Cont in patt as placed in last 3 rows and complete to correspond with Left Front, working "K2 tog" in place of "sl 1, K1, psso".

SLEEVES. Using 4.00 (No 8) Needles, cast on 41 (41-43) sts.

Work 14 rows rib as for Back.

Change to 6.00 (No 4) Needles.

Work 4 rows stocking st.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) at each end of foll 6th (4th-4th) rows until there are 69 (49-51) sts, **B and C only** — then in foll 6th rows until there are (71-73) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K2, sl 1, K1, psso, knit to last 4 sts, K2 tog, K2.

Dec (as before) in alt rows until 9 (9-11) sts rem.

C only — **Next row** — P2, P2 tog, purl to last 4 sts, P2 tog tbl, P2 ... 9 sts.

A and B only — Work 1 row.

All Sizes — Cast off.

LEFT FRONT BAND. Using 4.00 (No 8) Needles, join yarn to inside edge of sts on stitch-holder, inc in first st, rib to end.

Cont in rib until band is length required to fit (slightly stretched) along front to beg of neck shaping, working last row on wrong side. Leave sts on stitch-holder.

RIGHT FRONT BAND. Work as for Left Front Band, working last row on right side. Leave sts on needle. Do not break off yarn.

NECKBAND. Using back-stitch, join raglan seams noting that tops of sleeves form part of neckline, and sew on front bands. With right side facing using 4.00 (No 8) Needle holding right front band sts, knit up 59 (59-61) sts evenly around neck, incl sts from back stitch-holder, then rib across left front band sts ... 81 (81-83) sts.

Work 27 rows rib as for Back, beg with a 2nd row.


Cast off loosely in rib.

MAKE UP. With a slightly damp cloth and warm iron, press lightly. Using back-stitch, join side and sleeve seams. Fold neckband in half on to wrong side and slip st in position. Sew in zip. Press seams.

Zippers

Nylon Zippers are more suitable for knitted garments because of their flexibility. Coats recommend 'Lightning' Zippers for strength and reliability and for the large range of colours and sizes. Make sure the opening is long enough for the knitting to be very slightly eased into the zip, to prevent a bulging zip. The edges of the opening should be close to the teeth of the zip and not cover it as in dress-making.

To keep the base of the opening neat, cast off one or two stitches at the division of the opening. Stitch the zip into position with small running stitches using Coats Drima and finish the edges by slip-stitching lightly to the garment.



PATONS family 5 ply pure new wool

6

Man's Jumper & Vest

PATONS FAMILY 5 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits chest.....	cm	85	90	95	100
	ins	33½	35½	37½	39¼
Measures (approx)	cm	85	90	95	100
	ins	33½	35½	37½	39¼
Length (approx)	cm	60	60	61	61
	ins	23½	23½	24	24
Sleeve seam (Jumper)	cm	48	48	48	48
	ins	19	19	19	19

PATONS FAMILY 5 PLY PURE NEW WOOL 25 g balls

Jumper	22	23	25	28
Vest	15	16	17	18

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12), 1 set 2.75 (No 12) Milward or Patons Beehive Knitting Needles; A Cable Needle; A Stitch Holder; Milward Tapestry Needle for sewing seams.

TENSION — 26½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20. "Cable" = Slip next 3 sts on to cable needle and leave at front of work, K3, then K3 from cable needle. "Tw P" = P2 tog but before slipping sts off needle, purl into first of these sts.

FIRST — Check your tension

JUMPER

BACK. Using 2.75 (No 12) Needles, cast on 121 (127-133-139) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 19 times, inc once in last row ... 122 (128-134-140) sts.

Change to 3.25 (No 10) Needles.

1st row — K5 (6-8-10), * P2, K2, P1, K2, P2, K14, P2, K2, P1, K2, P2 **, K8 (10-11-12), rep from * to last 37 (38-40-42) sts, rep from * to **, knit to end.

2nd and alt rows — P5 (6-8-10), * K2, "Tw P", K1, "Tw P", K2, P14, K2, "Tw P", K1, "Tw P", K2 **, P8 (10-11-12), rep from * to last 37 (38-40-42) sts, rep from * to **, purl to end.

3rd row — K5 (6-8-10), * P2, K2, P1, K2, P2, "Cable", K2, "Cable", P2, K2, P1, K2, P2 **, K8 (10-11-12), rep from * to last 37 (38-40-42) sts, rep from * to **, knit to end.

5th row — As 1st row.

7th row — K5 (6-8-10), * P2, K2, P1, K2, P2, K4, "Cable", K4, P2, K2, P1, K2, P2 **, K8 (10-11-12), rep from * to last 37 (38-40-42) sts, rep from * to **, knit to end.

8th row — As 2nd row.

Rows 1 to 8 incl form patt.

Cont in patt until work measures 41 cm ... 16 ins ... from beg, working last row on wrong side.

Keeping patt correct, **shape armholes** — Cast off 7 (7-8-9) sts at beg of next 2 rows. ***

Dec at each end of next and alt rows until 96 (100-102-104) sts rem.

Work 65 (63-65-63) rows.

Shape shoulders — Cast off 10 (11-11-11) sts at beg of next 4 rows, then 10 (10-10-11) sts at beg of foll 2 rows.

Leave sts on a stitch-holder.

FRONT. Work as for Back to ***.

Divide for "V" neck.

1st row — K2 tog, patt 52 (55-57-59), turn.

Cont on these 53 (56-58-60) sts, dec at armhole edge in alt rows 5 (6-7-8) times, AT SAME TIME dec at neck edge in 2nd and foll 4th rows 18 (18-19-19) times in all ... 30 (32-32-33) sts.

Work 5 rows.

Shape shoulder — Cast off 10 (11-11-11) sts at beg of next row and foll alt row.

Work 1 row. Cast off.

Join yarn to rem sts and work other side to correspond.

SLEEVES. Using 2.75 (No 12) Needles, cast on 61 (61-63-63) sts.

Work 30 rows rib as for Back, inc 11 sts evenly across last row ... 72 (72-74-74) sts.

Change to 3.25 (No 10) Needles.

1st row — * P2, K2, P1, K2, P2, K14, P2, K2, P1, K2, P2 *, K8 (8-10-10), rep from * to *.

2nd and alt rows — * K2, "Tw P", K1, "Tw P", K2, P14, K2, "Tw P", K1, "Tw P", K2 *, P8 (8-10-10), rep from * to *.

Cont in patt as placed in last 2 rows, inc at each end of 3rd and foll 6th rows until there are 80 (88-90-98) sts, then in foll 8th rows until there are 104 (106-108-110) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, working last row on wrong side.

Keeping patt correct, **shape top** — Cast off 3 (3-4-4) sts at beg of next 2 rows.

Dec at each end of next and alt rows until 66 (70-62-66) sts rem, then in every row until 16 sts rem.

Cast off.

NECKBAND. Using back-stitch, join shoulder seams.

With right side facing, using set of 2.75 (No 12) Needles, beg at left shoulder seam, knit up 60 (60-62-62) sts evenly along left side of neck, one st from centre (centre st), 60 (60-62-62) sts evenly along right side of neck, then knit across sts from stitch-holder, dec once in centre of stitch-holder ... 156 (156-162-162) sts.

1st round — * K1, P1, rep from * to end.

2nd round — Rib to within 2 sts of centre st, y bk, sl 1, K1, pssso, K1 (centre st), K2 tog, rib to end.

3rd round — Rib to within 2 sts of centre st, P2 tog tbl, K1, P2 tog, rib to end.

Rep 2nd and 3rd rounds twice.

Cast off loosely in rib.

MAKE UP. With a slightly damp cloth and warm iron, press **very** lightly. Using back-stitch, join side and sleeve seams. Sew in sleeves. Press seams.

VEST

BACK, FRONT AND NECKBAND. Work as for **Jumper**.

ARMHOLE BANDS. With right side facing using 2.75 (No 12) Needles, knit up 117 (117-121-121) sts evenly along armhole edge.

Work 7 rows rib as for Back, beg with a 2nd row.

Cast off loosely in rib.

MAKE UP. As for **Jumper**, omitting sleeves.

PATONS family 8ply pure new wool

7

Man's Jacket

PATONS FAMILY 8 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D	E
Fits chest.....	cm	85	90	95	100	105
	ins	33½	35½	37½	39¼	41¼
Measures	cm	91	96	101	106	111
	ins	35¾	37¾	39¾	41¾	43¾
Length	cm	66	67	67	68	68
	ins	26	26¼	26¼	26¾	26¾
Sleeve seam	cm	48	48	48	48	48
	ins	19	19	19	19	19

PATONS FAMILY 8 PLY PURE NEW WOOL 25 g balls

Main Colour (M)	34	35	36	37	38
Contrast (C)	1	1	1	1	1

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 4.00 (No 8) and 3.25 (No 10) Milward or Patons Beehive Knitting Needles; 6 Maxart Buttons; Milward Tapestry Needle for sewing seams.

TENSION — 22½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20.

FIRST — Check your tension.

BACK. Using 3.25 (No 10) Needles and M, cast on 99 (105-111-117-123) sts.

1st row — K1, * K1 tbl, P1, rep from * to last 2 sts, K1 tbl, K1.

2nd row — K1, * P1, K1 tbl, rep from * to last 2 sts, P1, K1. Rep 1st and 2nd rows 11 times, then 1st row once.

26th row — Rib 12 (13-13-14-15), ["M1", rib 12 (13-13-14-15)] 7 times, rib to end ... 106 (112-118-124-130) sts.

Change to 4.00 (No 8) Needles.

Work in stocking st until work measures 39 cm ... 15¼ ins ... from beg, ending with a purl row.

Shape raglan armholes — Tie a coloured thread at each end of last row.

Work 2 (4-6-2-4) rows.

Next row — K2, K3 (3-5-4-5) tog, knit to last 5 (5-7-6-7) sts, K3 (3-5-4-5) tog tbl, K2.

A, D and E only — Dec (as before) in foll 6th rows until 94 (34-114) sts rem.

A, B, C and E only — Work 5 rows.

Next row — K2, K4 tog, knit to last 6 sts, K4 tog tbl, K2.

Dec (as before) in foll 6th rows until 28 (30-32-36) sts rem.

All sizes — Work 1 row.

Cast off.

LEFT FRONT. Using 3.25 (No 10) Needles and M, cast on 49 (51-55-57-61) sts.

Work 25 rows rib as for Back.

26th row — Rib 11 (10-11-11-12), ["M1", rib 9 (8-11-9-12)] 4 (5-4-5-4) times, rib 2 (1-0-1-1) ... 53 (56-59-62-65) sts.

Change to 4.00 (No 8) Needles.

Work in stocking st until work measures same as Back to underarm, working last row on wrong side.

Shape raglan armhole and front slope — Tie a coloured thread at each end of last row.

Work 2 (1-3-2-1) row/s.

A only — **Next row** — K2, K3 tog, knit to last 2 sts, sl1, K1, pssso.

Dec (as before) at each end of foll 6th rows until 44 sts rem.

Work 5 rows.

B only — **Next row** — P2 tog tbl, purl to end.

Work 2 rows.

Next row — K2, K3 tog, knit to last 2 sts, sl1, K1, pssso.

Work 5 rows ... 52 sts.

C only — **Next row** — P2 tog tbl, purl to end.

Work 2 rows.

(continued on next page

Book 618 — Page 13

Next row — K2, K5 tog, knit to last 2 sts, sl1, K1, pssso.

Dec at front edge (as before) in foll 3rd row.

Work 2 rows.

D only — **Next row** — K2, K4 tog, knit to last 2 sts, sl1, K1, pssso.

Work 2 rows.

Next row — P2 tog tbl, purl to end.

Work 2 rows.

Dec (as before) at armhole edge in next row, AT SAME TIME dec (as before) at front edge in next row and foll 3rd row.

Work 2 rows ... 52 sts.

E only — **Next row** — P2 tog tbl, purl to end.

Work 2 rows.

Next row — K2, K5 tog, knit to last 2 sts, sl1, K1, pssso.

Dec at front edge (as before) in foll 3rd rows 3 times, AT SAME TIME dec at armhole edge (as before) in foll 6th row.

Work 2 rows ... 52 sts.

All sizes — **Next row** — K2, K4 tog, knit to last 2 sts, sl1, K1, pssso.

Dec (as before) at each end of foll 6th rows until 8 sts rem.

Dec (as before) at armhole edge only in foll 6th row.

Work 5 rows.

Next row — K1, K4 tog.

Next row — P2, turn, K2 tog. Fasten off.

RIGHT FRONT. Work to correspond with Left Front, working "K2 tog" in place of "sl1, K1, pssso", "P2 tog" in place of "P2 tog tbl", "K3 tog tbl" in place of "K3 tog", "K4 tog tbl" in place of "K4 tog" and "K5 tog tbl" in place of "K5 tog".

SLEEVES. Using 3.25 (No 10) Needles and M, cast on 51 (53-55-57-59) sts.

Work 26 rows rib as for Back, inc in centre of last row ... 52 (54-56-58-60) sts.

Change to 4.00 (No 8) Needles. Work 4 rows stocking st.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in foll 6th rows until there are 64 (66-74-76-78) sts, then in foll 8th rows until there are 82 (84-88-90-92) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, ending with a purl row.

Shape raglan — Tie a coloured thread at each end of last row.

Work 2 (4-6-2-4) rows.

Next row — K2, K3 tog, knit to last 5 sts, K3 tog tbl, K2.

Dec (as before) in foll 6th rows until 58 (64-76-70-76) sts rem.

Work 5 rows.

Next row — K2, K4 tog, knit to last 6 sts, K4 tog tbl, K2.

Dec (as before) in foll 6th rows until 10 sts rem.

Work 1 row.

Cast off.

LEFT FRONT BAND. Using 3.25 (No 10) Needles and M, cast on 217 (221-225-229-233) sts.

1st row — K1, * K1 tbl, P1, rep from * to last 2 sts, K1 tbl, K1.

2nd row — K1, * P1, K1 tbl, rep from * to last 2 sts, P1, K1.

Rep 1st and 2nd rows once.

Using C, **5th row** — Rib 5, (cast off 2 sts, rib 18) 5 times, cast off 2 sts, rib to end.

6th row — Rib 110 (114-118-122-126), (cast on 2 sts, rib 18) 5 times, cast on 2 sts, rib 5.

Using M, rep 1st and 2nd rows twice.

Cast off in rib.

RIGHT FRONT BAND. Work as for other band, omitting buttonholes.

COLLAR. Using 3.25 (No 10) Needles and M, cast on 261 (267-273-279-285) sts.

Working in rib and stripes as for Bands, cast off 4 sts at beg of next 40 rows.

Next row — Cast off 4 sts, K1, * sl1, K2 tog, pssso, rib 3, rep from * to end ... 65 (69-73-77-81) sts.

Work 9 rows rib casting off 4 sts at beg of every row.

Cast off in rib.

POCKET TOPS. Using 3.25 (No 10) Needles and M, cast on 35 sts.

Work 8 rows rib working stripe in 5th and 6th rows only.


Cast off in rib.

MAKE UP. With a slightly damp cloth and warm iron, press lightly. Using back-stitch, join raglan seams noting that tops of sleeves form part of neckline. Join side and sleeve seams. Using a flat seam, join front bands. Using back-stitch, sew front bands in position. Using a flat seam, sew collar in position to band seam. Slip-stitch pocket tops in position as illustrated. Sew on buttons. Press seams.

Flat Seam.

This method is sometimes used for knitted garments but more often for crochet garments. A flat seam may be worked from either the right or the wrong side of the work. Place the 2 pieces of fabric evenly together and sew stitch by stitch, always bringing the needle up from underneath to top through the centre of the stitch, then in same manner through corresponding stitch on second piece of fabric.

Note—Diagram shows knitted fabric, but method is the same for knitting or crochet. Always keep work elastic—there should be as much stretch in your seam as there is in the rest of your garment.



PATONS family 12ply pure new wool

8

Man's Jacket

PATONS FAMILY 12 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C
Fits chest	cm	97.5	105	112.5
	ins	38¾	41¼	44¼
Measures	cm	113.5	121	128.5
	ins	44¾	47¾	50¾
Length	cm	73	74	75
	ins	28¾	29	29½
Sleeve seam	cm	48	48	48
	ins	19	19	19

PATONS FAMILY 12 PLY PURE NEW WOOL 50 g balls

Quantity	30	31	33
----------	----	----	----

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 each 5.50 (No 5) and 4.00 (No 8) Milward Circular Knitting Needles; 1 pair each 5.50 (No 5) and 4.00 (No 8) Milward or Patons Beehive Knitting Needles; Milward Tapestry Needle for sewing seams; 2 Stitch Holders; 9 Maxart Buttons.

TENSION — 22 sts to 10 cm (approx 4 ins) in width over patt (slightly stretched).

ABBREVIATIONS — See page 20.

FIRST — Check your tension.

JACKET (Worked in one piece to underarm). Using 4.00 (No 8) Circular Needle, cast on 227 (243-259) sts.

NOTE — A Circular Needle is recommended to accommodate the large number of sts. Do not join. Work in rows.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 8 times.

Change to 5.50 (No 5) Circular Needle.

1st row — P2, * K2, P2, rep from * to last st, K1.

2nd row — * K2, P2, rep from * to last 3 sts, K2, P1.

Last 2 rows form patt.

Divide for pockets — Next row — Rib 45 (49-53), turn.

Patt 38 rows on these sts.

Break off yarn. Leave sts on a stitch-holder.

Join yarn to rem sts, rib 137 (145-153), turn.

Patt 38 rows on these sts.

Break off yarn. Leave sts on a stitch-holder.

Join yarn to rem 45 (49-53) sts and work 39 rows.

Work in patt across all sts until work measures 49 cm... 19¼ ins ... from beg, working last row on wrong side.

Keeping patt correct, **divide for fronts and back — 1st row —** Patt 44 (46-47), cast off 27 (31-37) sts, patt 85 (89-91), cast off 27 (31-37) sts, patt to end.

Cont on last 44 (46-47) sts for **Left Front**.

Patt 40 (40-42) rows.

Shape neck — Next row — Cast off 10 (11-11) sts, patt to end.

Dec at neck edge in next and alt rows until 28 (29-29) sts rem.

Work 5 (7-5) rows.

Shape shoulder — Cast off 9 (10-10) sts at beg of next row and foll alt row.

Work 1 row.

Cast off.

Join yarn to next 85 (89-91) sts for **Back**.

Patt 57 (59-61) rows.

Shape shoulders — Cast off 9 (10-10) sts at beg of next 4 rows, then 10 (9-9) sts at beg of foll 2 rows.

Cast off rem sts.

Join yarn to rem 44 (46-47) sts for **Right Front** and work to correspond with Left Front.

SLEEVES. Using 4.00 (No 8) Needles, cast on 53 (55-57) sts.

Work 17 rows rib as for Jacket.

Next row — Rib 1, (rib 1, "M1") 50 (52-54) times, rib 2 ... 103 (107-111) sts.

Change to 5.50 (No 5) Needles and work in patt as for **Jacket** until work measures 48 cm ... 19 ins ... from beg, working last row on wrong side.

Tie a coloured thread at each end of last row.

Work 14 (16-18) rows. Cast off.

LEFT FRONT BAND. Using 4.00 (No 8) Needles, cast on 11 sts.

1st row — K2, (P1, K1) 4 times, K1.

2nd row — (K1, P1) 5 times, K1.

Rep 1st and 2nd rows once.

**** 5th row —** Rib 4, cast off 3 sts, rib 4.

6th row — Rib 4, cast on 3 sts, rib 4.

Rep 1st and 2nd rows 10 times. ***

Rep from *** to *** 6 times, 5th and 6th rows once, then 1st and 2nd rows 7 times.

Break off yarn.

Leave sts on a stitch-holder.

RIGHT FRONT BAND. Work as for other band omitting buttonholes.

Leave sts on needle.

Do not break off yarn.

NECKBAND. Using back-stitch, join shoulder seams. With right side facing using 4.00 (No 8) Needle holding right front band sts, knit up 61 (65-69) sts evenly around neck, then rib across left front band sts ... 83 (87-91) sts.

(continued on next page)

Work 11 rows rib as for jacket, beg with a 2nd row and working a buttonhole (as before) in 6th and 7th rows.
Cast off loosely in rib.

POCKET FLAPS. With right side facing, using 4.00 (No 8) Needles knit up 33 sts evenly along front edge of pocket opening.

Work 9 rows rib as for Jacket, beg with a 2nd row.
Cast off loosely in rib.


POCKET LININGS. Using 5.50 (No 5) Needles, cast on 26 sts.

Work 30 rows stocking st.
Cast off.

MAKE UP. DO NOT PRESS. Using back-stitch, join sleeve seams to coloured threads, then sew in sleeves, placing rows above coloured threads to cast-off sts on body. Sew front bands in position. Sew pocket linings and flaps in position. Sew on buttons. Press seams.

 **PATONS**

family 8 ply pure new wool



9

Man's Zipper Jacket

PATONS FAMILY 8 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C
Fits chest	cm	85	95	105
	ins	33½	37½	41¼
Measures	cm	90	100	110
	ins	35½	39¼	43¼
Length	cm	49	56	57
	ins	19¼	22	22½
Sleeve seam	cm	48	48	48
	ins	19	19	19

PATONS FAMILY 8 PLY PURE NEW WOOL 25 g balls				
Quantity	30	34	36	

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 4.00 (No 8) and 3.25 (No 10) Milward or Patons Beehive Knitting Needles; 2 Stitch Holders; A Cable Needle; Milward Tapestry Needle for sewing seams; 40 (50-50) cm ... 16 (20-20) ins ... "Lightning" Zipper (Open End).

TENSION — 22½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20. "Cable 8" = Slip next 4 sts on to cable needle and leave at front of work, K4, then K4 from cable needle. "Twist" = Knit into front of 2nd st on left-hand needle, then into front of first st, slip both sts off needle tog.

FIRST — Check your tension.

JACKET (Worked in one piece to underarm). Using 3.25 (No 10) Needles, cast on 251 (279-307) sts.

NOTE — If this number of sts will not fit comfortably on needle, we suggest using a circular needle.

1st row — K2, * P1, K1, rep from * to last st, K1.
2nd row — K1, * P1, K1, rep from * to end.
Rep 1st and 2nd rows 11 times, inc in last row ... 252 (280-308) sts.
Work patt.

1st row — Rib 8, leave these 8 sts on a stitch-holder, using 4.00 (No 8) Needles, inc purlways in next st, P1, * K8, P2, K2, P2, rep from * 15 (17-19) times, K8, P1, inc purlways in next st, turn.

Leave last 8 sts on a stitch-holder.

2nd and alt rows — Purl.

3rd row — P3, * "Cable 8", P2, "Twist", P2, rep from * to last 11 sts, "Cable 8", P3.

5th row — P3, * K8, P2, K2, P2, rep from * to last 11 sts, K8, P3.

7th row — P3, * K8, P2, "Twist", P2, rep from * to last 11 sts, K8, P3.

8th row — As 2nd row.

Rep rows 5 to 8 incl once.

13th row — As 5th row.

14th row — Purl.

Rows 3 to 14 incl form patt.

Cont in patt until work measures 28 (35-35) cm ... 11 (13¼-13¾) ins ... from beg, working last row on wrong side.

Keeping patt correct, **divide for fronts and back** — **Next row** — Patt 49 (54-59), cast off 14 (18-22) sts, patt 112 (122-132), cast off 14 (18-22) sts, patt to end.

Cont on last group of sts for **Left Front**.

Dec at armhole edge only in alt rows until 42 (46-49) sts rem.

Work 30 (28-24) rows.

Shape neck — Cast off 4 (5-6) sts at beg of next row.

Dec at neck edge in next and alt rows until 31 (34-36) sts rem.

Work 7 (9-11) rows.

Shape shoulder — Cast off 10 (11-12) sts at beg of next row and foll alt row.

Work 1 row.

Cast off.

Join yarn to next group of sts for **Back**.

Dec at each end of alt rows until 98 (106-112) sts rem.

Work 51 (51-49) rows.

Shape shoulders — Cast off 10 (11-12) sts at beg of next 4 rows, then 11 (12-12) sts at beg of foll 2 rows.

Cast off rem 36 (38-40) sts.

Join yarn to last group of sts for **Right Front** and work to correspond with Left Front.

SLEEVES. Using 3.25 (No 10) Needles, cast on 49 (51-53) sts.

Work 20 rows rib as for Back.

Change to 4.00 (No 8) Needles and work 4 rows stocking st.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in foll 6th (4th-4th) rows until there are 85 (59-67) sts, **B and C only** — then in foll 6th rows until there are (89-93) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, ending with a purl row.

Shape top — Cast off 4 (5-6) sts at beg of next 2 rows.

Dec at each end of next and alt rows until 43 sts rem, then in every row until 17 sts rem.

Cast off.

FRONT BANDS. Using 3.25 (No 10) Needles, join yarn to inside edge of front band sts.

1st row — Inc in first st, rib to end.

Cont in rib until band is length required to fit (slightly stretched) to beg of neck shaping, working last row on wrong side.

Cast off in rib.

COLLAR. Using 3.25 (No 10) Needles, cast on 141 (149-157) sts.

Work 38 rows rib as for Jacket.

Next row — Rib 5, * y bk, sl 1, K2 tog, pssso, rib 5, rep from * to end.

Cast off 10 sts at beg of next 8 rows.

Cast off.

MAKE UP. DO NOT PRESS BODY OR COLLAR. With a slightly damp cloth and warm iron, press sleeves lightly. Using back-stitch, join sleeve and shoulder seams. Sew in sleeves and sew on front bands. Using a flat seam, sew on collar. Sew in zip. Press seams.

PATONS family 5 ply pure new wool

10 Man's Aran Cardigan

PATONS FAMILY 5 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D	E	F
Fits chest	cm	85	90	95	100	105	110
	ins	33½	35½	37½	39¼	41¼	43¼
Measures	cm	89	94	99	104	109	114
(approx)	ins	35	37	39	41	43	45
Length	cm	62	67	67	68	68	69
	ins	24½	26¼	26¼	26¾	26¾	27
Sleeve seam	cm	48	48	48	48	48	48
	ins	19	19	19	19	19	19

PATONS FAMILY 5 PLY PURE NEW WOOL 25 g balls

Quantity	28	29	30	32	33	34
----------	----	----	----	----	----	----

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; Milward Tapestry Needle for sewing seams; A Cable Needle; 5 Maxart Buttons.

TENSION — 26½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20. "Tw R" = Knit into front of second st on left-hand needle, then purl into front of first st, slip both sts off needle tog. "Tw L" = Purl into back of second st on left-hand needle then knit into front of first st, slip both sts off needle tog; "Cable 6F" = Slip next 3 sts on to cable needle and leave at front of

work, K3, then K3 from cable needle; "Cable 6B" = Slip next 3 sts on to cable needle and leave at back of work, K3, then K3 from cable needle; "Tw F" = Knit into front of second st on left-hand needle, then knit into front of first st, slip both sts off needle tog; "Tw B" = Knit into back of second st on left-hand needle, then knit into front of first st, slip both sts off needle tog.

FIRST — Check your tension.

BACK. Using 2.75 (No 12) Needles, cast on 150 (158-162-170-174-182) sts.

1st row — P2 (2-0-0-2-2), * K2, P2, rep from * ending last rep P2 (2-0-0-2-2).

2nd row — K2 (2-0-0-2-2), * P2, K2, rep from * ending last rep K2 (2-0-0-2-2).

Rep 1st and 2nd rows 10 times.

Change to 3.25 (No 10) Needles.

1st row — P14 (18-20-24-26-30), * (K6, P2) twice, P3, ("Tw R", "Tw L", P4) twice, P1*, rep from * to * twice, (K6, P2) twice, P12 (16-18-22-24-28).

2nd and alt rows — Knit all knit sts and purl all purl sts as they appear.

3rd row — P14 (18-20-24-26-30), * (K6, P2) twice, P2, ("Tw R", P2, "Tw L", P2) twice, P2*, rep from * to * twice, (K6, P2) twice, P12 (16-18-22-24-28).

5th row — P14 (18-20-24-26-30), * (K6, P2) twice, P1, ("Tw R", P4, "Tw L") twice, P3*, rep from * to * twice, (K6, P2) twice, P12 (16-18-22-24-28).

7th row — P14 (18-20-24-26-30), * "Cable 6F", P2, "Cable 6B", P3, K1, P6, "Tw F", P6, K1, P3*, rep from * to * twice, "Cable 6F", P2, "Cable 6B", P14 (18-20-24-26-30).

9th row — P14 (18-20-24-26-30), * (K6, P2) twice, P1, ("Tw L", P4, "Tw R") twice, P3*, rep from * to * twice, (K6, P2) twice, P12 (16-18-22-24-28).

11th row — P14 (18-20-24-26-30), * (K6, P2) twice, P2, ("Tw L", P2, "Tw R", P2) twice, P2*, rep from * to * twice, (K6, P2) twice, P12 (16-18-22-24-28).

(continued on next page
Book 618 — Page 17

13th row — P14 (18-20-24-26-30), * (K6, P2) twice, P3, ("Tw L", "Tw R", P4) twice, P1 *, rep from * to * twice, (K6, P2) twice, P12 (16-18-22-24-28).

15th row — P14 (18-20-24-26-30), * "Cable 6B", P2, "Cable 6F", (P6, "Tw B") twice, P6 *, rep from * to * twice, "Cable 6B", P2, "Cable 6F", P14 (18-20-24-26-30).

16th row — As 2nd row.

Rows 1 to 16 incl form patt.

Cont in patt until work measures 41 (44-44-44-44) cm ... 16 (17¼-17¼-17¼-17¼) ins ... from beg, working last row on wrong side.

Shape armholes — Keeping patt correct, cast off 6 (7-7-8-8-9) sts at beg of next 2 rows.

Dec at each end of next and alt rows until 128 (132-136-140-144-146) sts rem.

Work 63 (67-67-69-69-69) rows.

Shape shoulders — Cast off 14 (14-14-15-15-15) sts at beg of next 4 rows, then 13 (14-15-14-15-15) sts at beg of foll 2 rows.

Cast off rem 46 (48-50-52-54-56) sts.

LEFT FRONT. Using 2.75 (No 12) Needles, cast on 68 (72-74-78-80-84) sts.

1st row — P2 (2-0-0-2-2), * K2, P2, rep from * to last 2 sts, K2.

2nd row — P2, * K2, P2, rep from * to last 2 (2-0-0-2-2) sts, K2 (2-0-0-2-2).

Rep 1st and 2nd rows 10 times.

Change to 3.25 (No 10) Needles.

1st row — P14 (18-20-24-26-30), (K6, P2) twice, P3, ("Tw R", "Tw L", P4) twice, P1, (K6, P2) twice, P2.

Keeping patt correct (as for Back) as **placed** in last row cont until work measures same as Back to underarm, working last row on wrong side.

Shape armhole and front slope — Cast off 6 (7-7-8-8-9) sts at beg of next row.

Dec at armhole edge in alt rows 5 (6-6-7-7-9) times, AT SAME TIME dec at front edge in 2nd and foll 4th rows 13 (13-16-17-20-21) times in all — **A, B, C and D only** — then in foll 6th rows 3 (4-2-2) times ... 41 (42-43-44-45-45) sts.

Work 5 rows.

Shape shoulder — Cast off 14 (14-14-15-15-15) sts at beg of next row and foll alt row.

Work 1 row.

Cast off.

RIGHT FRONT. — Using 2.75 (No 12) Needles, cast on 68 (72-74-78-80-84) sts.

1st row — K2, * P2, K2, rep from * to last 2 (2-0-0-2-2) sts, P2 (2-0-0-2-2).

2nd row — K2 (2-0-0-2-2), * P2, K2, rep from * to last 2 sts, P2.

Rep 1st and 2nd rows 10 times.

Change to 3.25 (No 10) Needles.

1st row — P4, (K6, P2) twice, P3, ("Tw R", "Tw L", P4) twice, P1, (K6, P2) twice, P12 (16-18-22-24-28).

Keeping patt correct as **placed** in last row, complete to correspond with Left Front.

SLEEVES. Using 2.75 (No 12) Needles, cast on 70 (70-70-74-74-78) sts.

1st row — P2 (2-2-0-0-2), * K2, P2, rep from * ending last rep P2 (2-2-0-0-2).

2nd row — K2 (2-2-0-0-2), * P2, K2, rep from * ending last rep K2 (2-2-0-0-2).

Rep 1st and 2nd rows 10 times.

Change to 3.25 (No 10) Needles.

1st row — P10 (10-10-12-12-14), (K6, P2) twice, P3, ("Tw R", "Tw L", P4) twice, P1, (K6, P2) twice, P8 (8-8-10-10-12).

Keeping patt correct (as for Back) as **placed** in last row, inc at each end of 4th and foll 6th (4th-4th-4th-4th-4th) rows until there are 98 (74-80-78-90-88) sts, then in foll 8th (6th-6th-6th-6th-6th) rows until there are 108 (112-114-116-120-122) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, working last row on wrong side.

Shape top — Cast off 3 (3-3-4-4-4) sts at beg of next 2 rows.

Dec at each end of next and alt rows until 82 (82-86-82-90-90) sts rem, then in every row until 20 sts rem.

Cast off.

FRONT BAND. Using back-stitch, join shoulder seams.

Using 2.75 (No 12) Needles, cast on 19 sts.

1st row — K2, (P1, K1) 8 times, K1.

2nd row — K1, (P1, K1) 9 times.

Rep 1st and 2nd rows once.

**** 5th row** — Rib 8, cast off 3 sts, rib to end.

6th row — Rib 8, cast on 3 sts, rib to end.

Work 32 (34-34-34-34-34) rows rib **.


Rep from ** to ** 4 times ... 5 buttonholes.

Cont without further buttonholes until band is length required to fit (slightly stretched) along fronts and across back neck.

Cast off in rib.

MAKE UP. With a slightly damp cloth and warm iron, press stocking st lightly. Using back-stitch, join side and sleeve seams. Sew in sleeves. Sew front band in position. Sew on buttons. Press seams.

PATONS family 5ply, 8ply and 12ply pure new wool

 GENTLE MACHINE WASH WARM
DO NOT TUMBLE DRY

 WARM IRON (150°C)

 (60) DRY CLEANABLE

 DO NOT BLEACH

PATONS family 8 ply pure new wool

11 Man's Jumper

PATONS FAMILY 8 PLY PURE NEW WOOL

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D	E
Fits chest.....	cm	85	92.5	100	107.5	115
	ins	33½	36½	39¼	42¼	45¼
Measures	cm	91.5	98	104.5	111	117.5
	ins	36	38½	41¼	43¾	46¼
Length	cm	58	65	66	67	67
	ins	22¾	25½	26	26¼	26¼
Sleeve seam	cm	48	48	48	48	48
	ins	19	19	19	19	19

PATONS FAMILY 8 PLY PURE NEW WOOL 25 g balls

Quantity	30	32	33	35	37
----------	----	----	----	----	----

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 4.00 (No 8) and 3.25 (No 10), 1 set 3.25 (No 10) Milward or Patons Beehive Knitting Needles; A Stitch Holder; Milward Tapestry Needle for sewing seams.

TENSION — 22½ sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 20.

FIRST — Check your tension

BACK. Using 3.25 (No 10) Needles, cast on 113 (121-129-137-145) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 11 times, inc in last row ... 114 (122-130-138-146) sts.

Change to 4.00 (No 8) Needles.

1st row — K2, * P6, K2, rep from * to end.

2nd and alt rows — Knit all knit sts and purl all purl sts as they appear.

3rd row — P2, * K1, P4, K1, P2, rep from * to end.

5th row — P2, * P1, K1, P2, K1, P3, rep from * to end.

7th row — P2, * P2, K2, P4, rep from * to end.

9th row — As 7th row.

11th row — As 5th row.

13th row — As 3rd row.

15th row — As 1st row.

16th row — As 2nd row.

Rows 1 to 16 incl form patt.

Cont in patt until work measures 36 (41-41-41-41) cm ... 14 (16-16-16-16) ins ... from beg, working last row on wrong side.

Keeping patt correct, **shape raglan armholes** — Cast off 3 sts at beg of next 2 rows. **

3rd row — K2, sl1, K1, pssso, patt to last 4 sts, K2 tog, K2.

4th row — P2, P2 tog, patt to last 4 sts, P2 tog tbl, P2.

5th row — As 3rd row.

6th row — P3, patt to last 3 sts, P3.

Rep rows 3 to 6 incl 5 (5-6-8-11) times ... 72 (80-82-78-68) sts.

Dec (as before) in next and alt rows until 30 (32-34-36-38) sts rem.

Work 1 row.

Leave sts on stitch-holder.

FRONT. Work as for Back to **.

Divide for "V" neck — **3rd row** — K2, sl 1, K1, pssso, patt 48 (52-56-60-64), work 2 tog, turn.

4th row — Patt to last 4 sts, P2 tog tbl, P2.

5th row — K2, sl 1, K1, pssso, patt to end.

6th row — Patt to last 3 sts, P3.

7th row — K2, sl 1, K1, pssso, patt to last 2 sts, work 2 tog.

Rep rows 4 to 7 incl 5 (5-6-8-11) times ... 28 (32-32-28-20) sts.

Dec (as before) at armhole edge in alt rows 19 (22-22-19-13) times, AT SAME TIME dec at neck edge in 4th and foll 6th rows 6 (7-7-6-4) times in all ... 3 sts.

Next row — P3.

Next row — K1, sl 1, K1, pssso.

Next row — P2, turn, K2 tog.

Fasten off.

Join yarn to rem sts and work other side to correspond, working "K2 tog" in place of "sl 1, K1, pssso" and "P2 tog" in place of "P2 tog tbl".

SLEEVES. Using 3.25 (No 10) Needles, cast on 57 sts.

Work 20 rows rib as for Back, inc in last row ... 58 sts.

Change to 4.00 (No 8) Needles.

Work 6 rows patt as for Back.

Keeping patt correct, inc at each end of next and foll 4th rows until there are 66 (72-84-96-112) sts, **A, B, C and D only** — then in foll 6th rows until there are 96 (98-102-106) sts.

Cont until side edge measures 48 cm ... 19 ins ... from beg, working last row on wrong side.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K2, sl 1, K1, pssso, patt to last 4 sts, K2 tog, K2.

4th row — P2, P2 tog, patt to last 4 sts, P2 tog tbl, P2.

5th row — As 3rd row.

6th row — P3, patt to last 3 sts, P3.

Rep rows 3 to 6 incl 6 (4-4-5-8) times ... 48 (62-66-64-52) sts.

Dec (as before) in next and alt rows until 10 sts rem.

Work 1 row.

Cast off.

NECKBAND. Using back stitch join raglan seams, noting that tops of sleeves form part of neckline. With right side facing and using set of 3.25 (No 10) Needles, beg at left back raglan seam, knit up 58 (62-66-68-68) sts evenly across left sleeve and along left side of neck, one st from centre (centre st), 58 (62-66-68-68) sts evenly along right side of neck and across right sleeve, knit across back neck stitch-holder, inc in centre ... 148 (158-168-174-176) sts.

1st round — * P1, K1, rep from * to end.

2nd round — Rib to within one st of centre st, y bk, sl 1, K2 tog, pssso, rib to end.

3rd round — Rib to within one st of centre st, y bk, sl 1, P2 tog, pssso, rib to end.

Rep 2nd and 3rd rounds 5 times.

Cast off loosely in rib.

MAKE UP. With a slightly damp cloth and warm iron, press lightly. Using back-stitch, join side and sleeve seams. Press seams.

Make this tension check.

Take the needles and yarn specified in the instructions, cast on 40 sts and knit a square in stocking stitch. Check the tension **very accurately** by placing a tape measure or rule across the centre of your work and marking 10 centimetres with a pin at each end. Count the number of stitches between the pins.

If you have too many stitches between the pins your tension is too firm — try a size larger needle. If you have too few stitches between the pins your tension is too loose — try a size smaller needle "**Less is Loose.**"

If you need to change your needle size to obtain the correct tension in stocking stitch, you must also make corresponding alterations. (i.e. larger or smaller needles) to all needle sizes mentioned in the instructions. It should be noted that even if the needle size needs to be changed to achieve the correct tension, it will make no difference to the length of time required to complete your garment, as you will be working with the same number of stitches.

Abbreviations (Knitting)

K = Knit; **P** = Purl; **sl** = slip; **pssso** = pass slipped stitch(es) over; **tbl** = through back of loops; **y bk** = yarn back — take yarn under needle from purling position into knitting position; **y ft** = yarn front — bring yarn under needle from knitting position into purling position; **y fwd** = yarn forward — bring yarn under needle, then over into knitting position again, thus making a stitch; **yon** = yarn over needle — take yarn over top of needle into knitting position, thus making a stitch; **yrn** = yarn round needle — take yarn right around needle into purling position, thus making a stitch; "**M1**" = Make 1 — pick up loop which lies before next stitch, place on left-hand needle and knit (or purl) into back of loop; **alt** = alternate; **beg** = begin or beginning; **cont** = continue; **dec** = decreases or decreasing; **fol** = following or follows; **inc** = increase, increases or increasing; **incl** = inclusive or including; **0** = no stitches, rows or times; **patt** = pattern; **rem** = remain, remains or remaining; **rep** = repeat; **st, sts** = stitch, stitches; **tog** = together; **cm** = centimetre/s; **ins** = inches; **Garter st** = every row knit; **Stocking st** = 1 row knit, 1 row purl; **Purl fabric** = 1 row, purl, 1 row knit (purl side is right side).

The first row is always the right side of the work unless otherwise stated.

When instructions read — "Cast off 2 sts, K2" (or similar stitches), the stitch left on the right-hand needle, after casting off, is counted as one stitch.

WASHING INSTRUCTIONS

BEFORE WASHING—Make any needed repairs. Remove any unwashable buttons or trimming, close zip and **turn garment inside out.**

WASHING—Please don't pre-soak. Ordinary washing powders are not designed for washing wool. We advise that you use **SOFTLY**, recommended by The Australian Wool Corporation to keep your woollen garments looking like new. And it's great for synthetic garments too.

Powder should be fully dissolved in warm (**not hot**) water before immersing garment. Squeeze the garment gently in the suds; do not rub.

RINSING—Rinse garment thoroughly in warm (**not cold**) water, until the water is clear. Support your garment with both hands whenever you lift it to prevent stretching.

DRYING—After the last rinse, spin dry the garment or squeeze it between towels to remove excess water. Dry naturally on a flat surface out of direct sunlight. **Never hang a hand-knitted garment.** When drying colour-contrast knitteds, do not leave contrasting areas in contact with each other in the wet or damp state.

Do not tumble dry.

PRESSING—Generally, woollen or cotton garments should be pressed with a warm iron and a slightly damp cloth.

Yarn colours illustrated have been reproduced as accurately as the printing process permits.

PUBLISHED WITH ALL RIGHTS RESERVED BY COATS PATONS (AUSTRALIA) LTD.

Makers of Coats Sewing Threads and Patons Knitting Yarns

REGISTERED OFFICE: 321-355 FERNTREE GULLY ROAD, MT. WAVERLEY, VICTORIA, 3149. P.O. BOX 110



- 7** A classic styled
8 ply jacket
highlighted by
contrast stripes.

- 6** 5 ply with or without
sleeves. Either way a
very wearable garment.





8 A big roomy 12 ply jacket in a broken rib stitch.

10 A 5 ply cardigan — set in sleeves and lots of Aran panels.



9

A smart, 8 ply, collared zipper jacket with simple cables divided by a twisted rib.



PATONS

FAMILY

PURE NEW WOOL

5, 8 & 12 ply

618

PRICE
CODE **E**

FOR men



AND IT'S
**MACHINE
WASHABLE**